

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	718	(gradient and temperature and control).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:03
L2	70	(gradient and temperature and control and glass).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:04
L3	9	(gradient and temperature and control and glass and magnetic).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:05
L4	1	(gradient and temperature and control and glass and MRI).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:05
L5	0	(gradient and temperature and control and glass and MR).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:05
L6	5	(gradient and temperature and control and glass and resonance).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:06
L7	74	(gradient and temperature and control and resonance).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:06
L8	34	(gradient and temperature and control and resonance and magnetic).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:07
L9	70	(gradient and temperature and glass and transition).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:08
L10	78	(coil and temperature and glass and transition).CLM.	US-PGPUB	OR	OFF	2007/09/24 15:08